

PRICELIST 2026 A P R I L



Electricals & Trading Co.



TABLE OF CONTENTS

PAGES	CONTENT
4	CERTIFICATES
5	TENSE PRODUCTS
6	REACTIVE POWER CONTROL RELAYS
9	DIGITAL PANEL METERS
14	PROTECTION & CONTROL DEVICES
16	COUNTER, TEMPERATURE CONTROLLER, FLOAT SWITCH
17	DIGITAL OVERLAD RELAYS & CONTACTORS
18	KONDAS PRODUCTS
19	POWER FACTOR CAPACITORS & RELAY
20	OPAS PRODUCTS
21	CHANGEOVER SWITCHES
22	SELECTOR, THERMOSTATES, CONTROL SWITCHES
23	NIN ELECTRIC PRODUCTS
24	MINIATURE CIRCUIT BREAKERS (MCB AC / DC)
25	SURGE PROTECTIVE DEVICE & MTS
26	MCCB (AC/DC) / RCCB / SAFETY BREAKER
27	CAM SWICTHES CHANGEOVERS
28	PHASE SELECTOR & ACCESSORIES
29	PROTECTORS
30	PANEL LIGHT & DIGITAL METER

TABLE OF CONTENTS

PAGES	CONTENT
31	SAFETY/WIFI DEVICE, POWER FACTOR REALY & CAPACITORS
32	BETA ELECTRIC
33	MINIATURE CIRCUIT BREAKERS
34	MOULDED CASE CIRCUIT BREAKERS
35	PRICING POLICY
36	CONTACT US

AT ELECTRICALS & COMPANY

Intro:

AT Electricals & Company is a trusted importer, supplier, and assembling unit specializing in high-quality electrical switchgear products, LED lighting solutions, and circuit protection systems. With a strong focus on reliability and performance, the company serves residential, commercial, and industrial sectors with durable and efficient electrical components.

We are committed to delivering products that meet modern safety standards while ensuring cost-effective and energy-efficient solutions for our clients. Our assembling unit is equipped to handle precision-based electrical components, ensuring quality control and consistent performance across all product lines.



Brands We Deal In:

We proudly supply and distribute products from well-known and reliable electrical brands,

- Tense
- Kondas
- Opas
- NIN
- Beta Electrical

DISTRIBUTION CERTIFICATES

AUTHORIZED GLOBAL BRAND PARTNESHIP



AWARDS





Electricals & Trading Co.

AUTHORIZED DISTRIBUTOR IN PAKISTAN



A 7-LEVEL MONOPHASE POWER FACTOR CONTROLLER

MODEL	PRICE
RGM-07E 7-Steps With LED Display Screen	48000/=

Features

- 3x20mm LED display screen
- Level and status indicator LEDs
- 100mA current sensitivity
- Automatic current transformer test



B 12-LEVEL MONOPHASE POWER FACTOR RELAY

MODEL	PRICE
RGM-12S 12-Steps With LED Display Screen	55,000/=

Features

- 20mm 4-digit LED display
- Manual compensation option
- Automatic step measurement
- Voltage, current, frequency and power monitoring
- Adjustable step timing and harmonic alarms



C 12-LEVEL THREE-PHASE POWER FACTOR CONTROLLER

MODEL	PRICE
RGT-12E 12-Steps With Graphic LCD Screen	79,500/=

Features

- 2.9-inch graphic LCD display with user-friendly interface
- Monitoring of voltage, harmonic current/voltage, and alarms
- Generator input and compensation support
- Manual step value adjustment
- Harmonic monitoring up to the 31st order



D 18 LEVEL, THREE-PHASE POWER FACTOR CONTROLLER

MODEL	PRICE
RGT-MT18 18-Steps With Touch Screen	125,000/=

Features

- 5-inch touchscreen with user-friendly interface
- Voltage, harmonic current/voltage, and alarm monitoring
- Generator input with RS485 (ModBus RTU) communication
- Supports single, two, and three-phase capacitor and shunt reactor connection
- Harmonic monitoring up to the 61st order



E DIGITAL AC VOLT METERS

MODEL	SPECIFICATION	PRICE
DJV-72	(0~500V) (72*72)	8,800/=
DJV-96	(0~500V) (96*96)	8,800/=



F DIGITAL AC AMMETERS

MODEL	SPECIFICATION	PRICE
DJA-72	(72*72mm)	9,000/=
DJA-96	(96*96mm)	9,000/=



G DIGITAL 3-PHASE AC VOLT & AMPERE METERS

MODEL	SPECIFICATION	PRICE
DJ-V96T	(0-500V) (96*96)	13,500/=
DJ-A96T	(5/5A - 5000/5A) (96*96)	13,500/=



H DIGITAL VOLTMETER & DIRECT AMMETER(2IN1)

MODEL	PRICE
DAV-72D WITH CT (72*72mm)	14,000/=

Operating Voltage (Un)...140-270VAC) (Voltage Measuring Range...150V-260VAC) (Current Measuring Range...1A - 100 AC External C.T)



I DIGITAL PANEL MULTIMETER 3-PHASE (4IN1)

MODEL	PRICE
EM-06 (96*96mm)	16,000/=



Measuring Ranges:

- Easy Installation and Operation with 3×6 LED Display
- 3-Phase Current Transformers / X5A
- It Shows Voltage (V), Current (I) and Frequency (F) Values of Each Phase
- It Shows Phase Sequence

J DIGITAL PANEL MULTIMETER 3-PHASE (LCD)

MODEL	PRICE
EM-07K (KWH & RS-485) (96*96mm)	39,500/=



Measuring Ranges:

- RS485 Modbus RTU (1200 - 38400bps)
- 71.5 x 61.5 Custom Design Glass LCD
- 3-phase voltage and 3-phase current transformer.
- It shows the maximum, average and demand values.

K ADVANCED MULTIMETER 3-PHASE (LED)

MODEL	PRICE
EM-08	23,500/=



Features:

- Supports 3P3W and 3P4W connections with 4×4 and 1×8 digit LED display
- Displays active, reactive, and apparent power for each phase and total
- Shows power factor (PF), $\cos\phi$, voltage, and current values
- Energy monitoring for kWh and kVarh with reset option
- Voltage/current unbalance monitoring and password-protected menu

L DIGITAL FREQUENCY METERS

MODEL	SPECIFICATION	PRICE
DJF-72	(72*72mm)	11,000/=
DJF-96	(96*96mm)	11,000/=



ENERGY ANALYZER

M DIGITAL ENERGY ANALYZER

MODEL	PRICE
TPM-01ES	65,000/=

Features:

- 4x4 digit display with simple installation and operation
- 3-phase voltage and current transformer support
- RS485 (ModBus RTU) remote communication
- 1 adjustable relay output



N DIGITAL ENERGY ANALYZER

MODEL	PRICE
TPM-05	93,000/=

Features

- 71.5x61.5 glass LCD display with easy operation
- 3-phase voltage and current transformer support
- RS485 (ModBus RTU) communication
- 1 adjustable relay output




O USB-CON

MODEL	PRICE
USB-CON RS232/RS485 to USB Converter	49,500/=

General Specifications:

- Isolated Connection
- Up to 230.4k pbs Communication Speed



1 UNDER & OVER VOLTAGE RELAY 3-PHASE (NON-NEUTRAL)

MODEL	PRICE
GK-04S With Phase Sequence Control (Active/Passive)	10,200/=

Adjustable Control Setting Ranges:

- High Voltage Set (U>) : 400V – 460V AC (Adjustable)
- Low Voltage Set (U<) : 260V – 360V AC (Adjustable)
- Time Delay : 0.1Sec – 10Sec. (Adjustable)
- PSC : Phase Sequence Control (Active/Passive)



2 UNDER & OVER VOLTAGE RELAY 3-PHASE (NON-NEUTRAL)

MODEL	PRICE
GKT-03F With Phase Sequence Control	9,500/=

Adjustable Control Setting Ranges:

- High Voltage Set (U>) : 400V – 510V AC (Adjustable)
- Low Voltage Set (U<) : 260V – 370V AC (Adjustable)
- Time Delay : 0.1Sec – 20Sec. (Adjustable)
- Display : High, low, relay, phase sequence power
- and phases led.



3 UNDER & OVER VOLTAGE RELAY 3-PHASE (NON-NEUTRAL)

MODEL	PRICE
GKT-03	9,000/=

Adjustable Control Setting Ranges:

- High Voltage Set (U>) : 400V – 510V AC (Adjustable)
- Low Voltage Set (U<) : 260V – 370V AC (Adjustable)
- Time Delay : 0.1Sec – 20Sec. (Adjustable)
- Display : High, low, relay, and phases led.



4 UNDER & OVER VOLTAGE RELAY 3-PHASE (NEUTRAL)

MODEL	PRICE
GKM-02F With Phase Sequence Control	9,500/=

Adjustable Control Setting Ranges:

- High Voltage Set ($U>$) : 230V – 300V AC (Adjustable)
- Low Voltage Set ($U<$) : 140V – 210V AC (Adjustable)
- Time Delay : 0.1Sec – 20Sec. (Adjustable)
- Display : High, low, relay, phase sequence power and phases led.



5 UNDER & OVER VOLTAGE RELAY 3-PHASE (NEUTRAL)

MODEL	PRICE
GKM-02	9,000/=

Adjustable Control Setting Ranges:

- High Voltage Set ($U>$) : 230V – 300V AC (Adjustable)
- Low Voltage Set ($U<$) : 140V – 210V AC (Adjustable)
- Time Delay : 0.1Sec – 20Sec. (Adjustable)
- Display : High, low, relay, and phases led.



6 ANALOGUE UNDER & OVER VOLTAGE RELAY 1-PHASE

MODEL	PRICE
GKM-11	8,000/=

Adjustable Control Setting Ranges:

- High Voltage Set ($U>$) : 230V – 300V AC (Adjustable)
- Low Voltage Set ($U<$) : 150V – 210V AC (Adjustable)
- Time Delay : 0.5Sec – 20Sec. (Adjustable)
- Display : High, low, relay, and phases led.



7 DIGITAL UNDER & OVER VOLTAGE RELAY 1-PHASE

MODEL	PRICE
DGK-01	11,000/=

Adjustable Control Setting Ranges:

- High Voltage Set (U>) : 230V – 280V AC (Adjustable)
- Low Voltage Set (U<) : 150V – 210V AC (Adjustable)
- Time Delay : 0.1Sec – 10Sec. (Adjustable)



8 DIGITAL UNDER & OVER VOLT PROTECTION DEVICE 1-PHASE (40A)

MODEL	PRICE
GKE-40	15000/=

Adjustable Control Setting Ranges:

- Over Voltage : 230V – 300V AC (Adjustable)
- Under Voltage : 120V – 210V AC (Adjustable)
- Time Delay : 0.1Sec – 600Sec. (Adjustable)
- Built-In Current Transformer
- Built-In Contactor 40A



9 DIGITAL UNDER & OVER VOLTAGE RELAY 3-PHASE (NON-NEUTRAL)

MODEL	PRICE
DGK-04F	15,000/=

Adjustable Control Setting Ranges:

- Over Voltage : 400V – 460V AC (Adjustable)
- Under Voltage : 230V – 360V AC (Adjustable)
- Error Waiting Time : 0,1sec. – 10sec. (Adjustable)
- Phase Sequence Control
- Non-Neutral



10 PHASE SEQUENCE PHASE FAILURE RELAY

MODEL	PRICE
FK-14	8,000/=

Adjustable Control Setting Ranges:

- Asymmetry : ~30 %
- Phase Sequence Control



11 DIGITAL PHASE FAILURE RELAY

MODEL	PRICE
FKV-03HF	11,500/=

Adjustable Control Setting Ranges:

- Over Voltage : 400V – 480V AC (Adjustable)
- Under Voltage : 260V – 360V AC (Adjustable)
- Asymmetry : %5 – %50 (Adjustable)
- Error Waiting Time : 1sec. – 30sec. (Adjustable)
- Reset Time : 1sec. – 30sec. (Adjustable)
- Phase Sequence Control



12 STAR-DELTA TIMER

MODEL	PRICE
ERV-YU	9,000/=

Adjustable Control Setting Ranges:

- Working: 0.1 Sec. – 30 Sec (Adjustable)
- Waiting: 15msec. (Fixed)



13 MULTIFUNCTIONAL TIMER

MODEL	PRICE
ERV-08	9,000/=

Adjustable Control Setting Ranges:

- Time : 0.1Sec – 100 Hours. (Adjustable)



14 PROGRAMMABLE TIMER

MODEL	PRICE
TTR-10	13,500/=

Adjustable Control Setting Ranges:

- 230V AC, Real time clock, # of programs: 48/72/96/144/288
- 16A, 250VAC, 4000VA (Resistive Load)



15 SOCKET TYPE ON-DELAY TIMER

MODEL	PRICE
ERS-60YR	6,000/=

Adjustable Control Setting Ranges:

- Range : 0.1Sec – 60 Sec. (Adjustable)



16 MULTIFUNCTIONAL DIGITAL TIMER

MODEL	PRICE
ERS-08N	7,500/=

Adjustable Control Setting Ranges:

- Socket Type (8-Pin)
- 230V AC and 24V-200V DC
- 0,1sec. – 100 hours. (Adjustable)



17 LIQUID LEVEL RELAY

MODEL	PRICE
VSR-05	8,500/=

Technical Properties:

- Precision : 5K Ohm -100K Ohm Liquid Sensitivity Adjustable



18 LIQUID LEVEL ELECTRODE

MODEL	PRICE
SSE-10	1700/=



19 WATER FLOAT SWITCH

MODEL	PRICE
FLT-3	8,500/=

General Specifications:

- Length: 3-Meters.
- Load Current Capacity: 8A/250V AC (50/60 Hz)
- Protection Class: IP68.



20 PRESET UP/DOWN COUNTER

MODEL	PRICE
DS-72	23,000/=

General Specifications:

- 2x4 digit display with dual preset and dual output
- Up/down counter function
- Supports switch, proximity switch, and encoder inputs
- Password protection for secure access
- Adjustable input frequency calibration (0.001-9.999)



21 TEMPERATURE CONTROL DEVICES

MODEL	SIZE	PRICE
DT-96	96*96mm	30,000/=
DT-72	72*72mm	29,500/=
DT-48	48*48mm	27,000/=
DT-D	48*96mm	31,500/=

TECHNICAL PROPERTIES:

- 4-digit 7-segment PV and SV display
- Supports thermocouple (J, K, T, S, R) and PT100 sensors
- Measurement range up to 1750°C depending on sensor type
- ON-OFF and PID control modes
- Relay output with optional SSR support



S PHOTOCELL RELAY

MODEL	PRICE
FT-GR	3,500/=



General Specifications:

- Wall Mounting Possibility
- Can Switch Up To 1500Watt

T LV CURRENT TRANSFORMERS X5

MODEL	INPUT/OUTPUT	PRICE
ATM-40	40/5A	5,500/=
ATM-60	60/5A	5,500/=
AT-100	100/5A	5,800/=
AT-200	200/5A	5,800/=
AT-300	300/5A	6,300/=
AT-400	400/5A	6,500/=
AT-600	600/5A	7,000/=



U SUBMERSIBLE PUMP CONTROL RELAY

MODEL	PRICE
MDK-03	31,000/=

General Specifications:

- 1A – 30A
- Internal Current Transformer & Internal Contactor
- High / Low Voltage Protection
- High / Low Current Protection
- Error Waiting Time
- Auto Reset Time & Count
- Demurrage Multiplier & Time
- Upper Electrode Waiting Time
- Continuation from the Last Working Position (Start/Stop)



V DIGITAL OVERLOAD RELAYS

MODEL	RANGE	PRICE
TRM-25	0.1A ~ 25A (Direct)	20,000/=
TRM-30F	0.5A ~ 30A (With Voltage Protection & Phase Sequence)	26,500/=
TRM-50	15A ~ 50A	27,000/=
TRM-100	40A ~ 100A	28,500/=
TRM-200	90A ~ 200A	38,000/=

General Specifications:

- Adjustable Overload Value
- 50% Fixed Current Asymmetry
- Error Delay Time Adjustable
- Operation Mode Adjustable (Automatic, Semi-Automatic, Manual)
- Box Contains Current Transformers



W DIGITAL OVERLOAD CONTACTOR

MODEL	PRICE
KON-TER-25	30,000/=
KON-TER-50*	65,000/=

General Specifications:

- Operating Voltage (Un): Adjustable range from 100V to 240V AC.
- Operating Frequency: Compatible with both 50Hz and 60Hz frequencies.
- Display: Equipped with a 3x3 digit display and 2x LEDs for clear visualization.
- High Current (Overload): Offers options for overload protection at 25A, 32A, 50A, and 100A.
- Low Current (Overload): Protection available within the range of 1A to 32A.
- Waiting Time (Seconds): Adjustable waiting time from 0.1 second to either 10 or 20 seconds.





Electricals & Trading Co.



AUTHORIZED DISTRIBUTOR IN PAKISTAN



A LV CAPACITORS CYLINDRICAL (DRY) TYPE

MODEL	RATING	VOLTAGE	PRICE
ZnPS	2.5 KVAR	440 VAC	10,000/=
ZnPS	5 KVAR	440 VAC	14,000/=
ZnPS	7.5 KVAR	440 VAC	19,000/=
ZnPS	12.5 KVAR	440 VAC	24,000/=
ZnPS	25 KVAR	440 VAC	42,000/=



B LV CAPACITORS BOX (DRY) TYPE

MODEL	RATING	VOLTAGE	PRICE
ZNPP	5 KVAR	440 VAC	15,000/=
ZNPP	7.5 KVAR	440 VAC	20,500/=
ZNPP	12.5 KVAR	440 VAC	26,500/=
ZNPP	25 KVAR	440 VAC	44,000/=
ZNPP	50 KVAR	440 VAC	85,000/=



C POWER FACTOR CONTROL RELAY

PRODUCT CODE	RATING	PRICE
VarKON 12-M*	12-Steps	90,000/=





Electricals & Trading Co.



AUTHORIZED DISTRIBUTOR IN PAKISTAN





CHANGEOVER SWITCHES

ALL PRICES IN PKR (RS.)

A 2-POLE POLE CHANGEOVER SWITCHES

MODEL	DESCRIPTION	AMPERE	PRICE
YPT205032	2-POLE CHANGE-OVER	32	6,900/=
YPT205050	2-POLE CHANGE-OVER	50	8,200/=
YPT205063	2-POLE CHANGE-OVER	63	9,900/=
YPT205080	2-POLE CHANGE-OVER	80	14,800/=
YPT205100	2-POLE CHANGE-OVER	100	25,500/=



B 3-POLE POLE CHANGEOVER SWITCHES

MODEL	DESCRIPTION	AMPERE	PRICE
YPT305032	3-POLE CHANGE-OVER	32	8,500/=
YPT305050	3-POLE CHANGE-OVER	50	11,700/=
YPT305063	3-POLE CHANGE-OVER	63	13,500/=
YPT305080	3-POLE CHANGE-OVER	80	17,400/=
YPT3050100	3-POLE CHANGE-OVER	100	31,000/=



C 4-POLE POLE CHANGEOVER SWITCHES

MODEL	DESCRIPTION	AMPERE	PRICE
YPT405032	4-POLE CHANGE-OVER	32	10,500/=
YPT405050	4-POLE CHANGE-OVER	50	13,800/=
YPT405063	4-POLE CHANGE-OVER	63	16,000/=
YPT405080	4-POLE CHANGE-OVER	80	21,500/=
YPT405100	4-POLE CHANGE-OVER	100	43,000/=
YPT405125	4-POLE CHANGE-OVER	125	49,500/=
YPT405160	4-POLE CHANGE-OVER	160	62,000/=
YPT405200	4-POLE CHANGE-OVER	200	74,000/=
YPT405250	4-POLE CHANGE-OVER	250	95,000/=
YPT405315	4-POLE CHANGE-OVER	315	110,000/=





PHASE SELECTOR & CONTROL SWITCHES

ALL PRICES IN PKR (RS.)

D PHASE SELECTOR SWITCHES (0-4)

MODEL	DESCRIPTION	AMPERE	PRICE
YPT114032	4-POSITION PHASE SELECTOR	32	7,800/=
YPT114050	4-POSITION PHASE SELECTOR	50	9,300/=
YPT114063	4-POSITION PHASE SELECTOR	63	11,000/=
YPT114080	4-POSITION PHASE SELECTOR	80	15,500/=
YPT205100	4-POSITION PHASE SELECTOR	100	28,500/=
YPT114125	4-POSITION PHASE SELECTOR	125	36,500/=



E NEUTRAL CUT SELECTOR SWITCHES

MODEL	DESCRIPTION	AMPERE	PRICE
N.C	4-STEP SWITCH NEUTRAL CUT	32	9,500/=
N.C	4-STEP SWITCH NEUTRAL CUT	50	11,900/=



F PANEL FAN THERMOSTATES

DESCRIPTION	PRICE
Cold	2,500/=
Hot	2,500/=



G VOLT/AMPERE & CONTROL SWITCHES

MODEL	DESCRIPTION	AMPERE	PRICE
YPT105010	1-POLE CHANGE-OVER	10	2,800/=
YPT3V6M20	7-POSITION VOLT METER	16	3,500/=
YPT3A2M20	4-POSITION AMPERE METER	16	3,500/=



NIN
NINUO ELECTRIC

18th
**CONSUMERS
CHOICE
AWARDS 2024**



Electricals & Trading Co.



AUTHORIZED DISTRIBUTOR IN PAKISTAN



A MINIATURE CIRCUIT BREAKERS 4.5KA (AC-MCB)

MODEL NO.	TYPE	DESCRIPTION	PRICE
NMB-63	1 Poles	2A & 4A	1,150/=
NMB-63	1 Poles	6A ~ 32A	780/=
NMB-63	1 Poles	63A	870/=
NMB-63	2 Poles	32A	1910/=
NMB-63	2 Poles	40A & 63A	2,070/=
NMB-63	3 Poles	32A	2,870/=
NMB-63	3 Poles	63A	3,045/=
NMB-63	4 Poles	63A	4135/=



Features:

- Overload protection, short circuit protection and isolation. It is widely used in building power distribution, industrial power distribution, as well as control and protection for a variety of equipment with operating current not exceeding 63A.
- Compliant standards: IEC60898-1
- Compliant certification: CE
- Major function: Over load protection, short circuit protection, positive isolation
- Rated current: 1A, 2A, 3A, 4A, 6A, 10A, 16A, 20A, 25A, 32A, 40A, 50A, 63A.
- Rated voltage: 220V~/230V~/240V~/380V~/400V~/415V
- Frequency: 50/60Hz

B MINIATURE CIRCUIT BREAKER (DC-MCB)

MODEL NO.	DESCRIPTION	TYPE	PRICE
NP1-63 DC	10A - 16A - 25A -32A -40A - 63A	2 Poles	2,200 /=
NP1-125 DC	80A	2 Poles	3,120 /=
NP1-63 DC	100A	2 Poles	3,360 /=
NP1-125 DC	125A	2 Poles	3,600 /=



Features:

- Standard: IEC/EN 60947-2, RoHS
- Number of poles: 2P
- Rated voltage up to 1000V, (250V-DC/Phase)

C DC SURGE PROTECTIVE DEVICE.

MODEL NO.	DESCRIPTION	TYPE	PRICE
NSP1-PV40	Nominal discharge Current 40kA	2 Poles	3,900 /=

Features:

- Protect Electric System on-loading electrical
- Apparatus from thunder and instantaneous over-voltage



D AC SURGE PROTECTIVE DEVICE.

MODEL NO.	DESCRIPTION	TYPE	PRICE
NSP1-C40	Discharge Current 40kA / 385V~	2 Poles	3,900 /=
NSP1-C40	Discharge Current 40kA / 385V~	4 Poles	7,900 /=

Features:

- Protect Electric System on-loading electrical
- Apparatus from thunder and instantaneous over-voltage



E BREAKER TYPE CHANGEOVER SWITCH (MTS).

MODEL NO.	DESCRIPTION	TYPE	PRICE
NSIS-63	63A	2 Poles	1,800 /=
NP1-63	63A	2 Poles	3,600 /=



F MCCB BREAKER, 2-POLE, 1000V DC - 125A

MODEL NO.	PRICE
NIN-125/2300	5,000/=



G MCCB BREAKER, 4-POLE, 400V AC

MODEL NO.	PRICE
NIN/125A/4300	10,500/=



Features:

- 125A – 4POLE
- Ue: 690V
- Ics: 25ka
- cu: 35ka

H RESIDUAL CURRENT DEVICE

MODEL NO.	PRICE
NIN-F-360	2,900 /=-



Features:

- In: 63A
- Poles: 2P
- Sensitivity: 0.3mA
- Type: AC

I SAFETY BREAKERS, 2-POLE

MODEL	DESCRIPTION	PRICE
NSB Series	NSB-10A / NSB-15A / NSB-20A / NSB-30A With Cover Rated Voltage 220V/240V	780/-



CAM SWITCHES CHANGEOVERS

ALL PRICES IN PKR (RS.)

J CHANGEOVER SWITCHES (MANUAL) I-O-II

OPERATIONAL RATING	TYPE	VOLTAGE (AC)	PRICE
32Amps	2P	600V	2,300/=
50Amps	2P	600V	4,200/=
63Amps	2P	600V	4,900/=
80Amps	2P	600V	6,500/=
100Amps	2P	600V	8,600/=
125Amps	2P	600V	11,600/=


K CHANGEOVER SWITCHES (MANUAL) I-O-II

OPERATIONAL RATING	TYPE	VOLTAGE (AC)	PRICE
32Amps	3P	600V	3,000/=
50Amps	3P	600V	4,650/=
63Amps	3P	600V	5,350/=
80Amps	3P	600V	7,500/=
100Amps	3P	600V	10,600/=
125Amps	3P	600V	13,600/=


L CHANGEOVER SWITCHES (MANUAL) I-O-II

OPERATIONAL RATING	TYPE	VOLTAGE (AC)	PRICE
32Amps	4P	600V	3,600/=
50Amps	4P	600V	5,500/=
63Amps	4P	600V	6,300/=
80Amps	4P	600V	9,500/=
100Amps	4P	600V	13,800/=
125Amps	4P	600V	15,600/=



M PHASE SELECTOR SWITCHES (4-POSITION PLUS "OFF")

OPERATIONAL RATING	VOLTAGE (AC)	PRICE
32Amps	600V	2,650/=
50Amps	600V	4,650/=
63Amps	600V	5,200/=
80Amps	600V	7,000/=
100Amps	600V	9,600/=
125Amps	600V	12,200/=



N DC FUSE BASE & FUSE LINK (10X38)

MODEL NO.	PRICE
SFDPV-32X FUSE BASE MAX 32A	480/=
SF-10PV FUSE LINK 16A / 20A / 30A	480/=



O MC4 CONNECTOR (1500V)

MODEL NO.	PRICE
MC4	250/=



P FLOAT SWITCH.

MODEL NO.	PRICE
NIN-XK-15	1,900/=



Features:

- 3Meter Wire Length, Thermal Current 10A/220V Resistive Load, IP66
- Copper Core Flexible Wire
- Big Silver Contact Point

PROTECTORS

ALL PRICES IN PKR (RS.)

Q NP2-VA

DESCRIPTION

63/80A 230V Din rail adjustable automatic recovery reconnect over under voltage protective protector voltage protector.

PRICE

3,300/=



R NP2-VAKWH-B 5-FUNCTION DISPLAY

DESCRIPTION

NIN 80A 230V 3IN1 Display Din rail adjustable over under voltage surge protector relay over current protect Kwh Power watt.

PRICE

4,500/=



S NP6-VA-80A

DESCRIPTION

High quality NP6-VA 220v 3 phase under and over voltage protector.

PRICE

11,000/=



T NP7-PS-80A AUTOMATIC PHASE SELECTOR SWITCH

MODEL NO.

NP7-PS

PRICE

12,500 /=-



Features:

- 80A Din rail adjustable automatic recovery
- Reconnect Phase Selector Switch

U 22MM PANEL INDICATION LIGHTS AC 220V

COLOR

- Red
- Yellow
- Blue
- Green

PRICE

240/=



V 22MM DIGITAL VOLTMETER AC 20-500V LED DISPLAY

MODEL NO.

PRICE

22MM VOLT SQUARE (R-Y-G)

260/=

22MM VOLT ROUND (R-Y-G)

260/=



W DIGITAL VOLT + AMPERE PANEL LIGHT

MODEL NO.

PRICE

22MM VOLT + AMPERE SQUARE With CT 650/=



X MULTIFUNCTION DIGITAL METER

MODEL NO.


PRICE

D48-2058 (22MM)

4,000/=

D52-2066 (DIN-RAIL)

5,400/=



Features:

- Multi-function Digital meter can measure AC voltage, AC current,
- Power factor, Active power electric energy and power frequency.
- The meter display part adopts the color high-definition LCD screen



Y

HOT AEROSOL FIRE EXTINGUISHING DEVICE

MODEL

PRICE

NFED-1

2,800/=



Z

TUYA WIFI SMART AC SINGLE PHASE CIRCUIT BREAKER

MODEL

PRICE

NP1-WIFI-63A

6,600/=



A1

JKW-12 REACTIVE POWER AUTOMATIC CONTROLLER

DESCRIPTION

PRICE

- Automatic reactive power compensation for low-voltage distribution systems
- High-precision power factor measurement with wide display range
- Capacitor switching calculated by reactive power for accurate compensation
- Dual control modes: power factor and reactive power
- Digital parameter adjustment with automatic and manual operation modes

24,500/=



A2

SELF-HEALING LOW VOLTAGE SHUNT CAPACITOR

DESCRIPTION

PRICE

5 KVAR - 415V AC

9,500 /=

7.5 KVAR - 415V AC

11,600/=

12.5 KVAR - 415V AC

14,200/=

25 KVAR - 415V AC

29,000/=

50 KVAR - 415V AC

57,700/=





Electricals & Trading Co.



AUTHORIZED DISTRIBUTOR IN PAKISTAN



MINIATURE CIRCUIT BREAKERS

ALL PRICES IN PKR (RS.)



**ACCORDING TO IEC 60898
MADE IN EGYPT**



A POLE MINIATURE CIRCUIT BREAKERS

MODEL	RATING	BREAKING CAPACITY	PRICE
BE.1MN063C	2 & 4 AMPS	1 POLE / 6KA	950/=
	6 & 10 AMPS		700/=
	16,20 & 32 AMPS		600/=
	40,50 & 63 AMPS		850/=

B POLE MINIATURE CIRCUIT BREAKERS

MODEL	RATING	BREAKING CAPACITY	PRICE
BE.2MN063C	6,10,16,20 & 32 AMPS	2 POLE / 6KA	1,600/=
	40 & 50 AMPS		1,700/=
	63 AMPS		1,900/=

C POLE MINIATURE CIRCUIT BREAKERS

MODEL	RATING	BREAKING CAPACITY	PRICE
BE.3MN063C	6,10,16,20 & 32 AMPS	3 POLE / 6KA	2,600/=
	40 & 50 AMPS		2,800/=

MOULDED CASE CIRCUIT BREAKERS

ALL PRICES IN PKR (RS.)



**500/690V WITH THERMAL AND MAGNETIC TRIPS ALL MCCBS ARE FULLY RATED AT +55°C. MADE IN EGYPT.
AC BREAKING CAPACITY IEC / EN 60947-2**



D MOULDED CASE CIRCUIT BREAKERS

MODEL	RATING	ICU/ICS	PRICE
BE.3MC125H	15,20 & 30 AMPS	25KA / 18KA	7,200/=
BE.3MC125H	40 & 50 AMPS	25KA / 18KA	7,400/=
BE.3MC125H	63A	25KA / 18KA	7,800/=
BE.3MC125H	80 & 100 AMPS	25KA / 18KA	8,000/=
BE.3MC125H	125 AMPS	25KA / 18KA	13,500/=
BE.3MC160K	160 AMPS	36KA / 27KA	13,500/=
BE.3MC250K	200 & 250 AMPS	36KA / 27KA	17,500/=
BE.3MC400R	300 & 400 AMPS	65KA / 48KA	38,000/=
BE.3MC630R	500 & 630 AMPS	65KA / 48KA	74,000/=
BE.3MC800R	800 AMPS	50KA / 35KA	85,000/=

E POLE MINIATURE CIRCUIT BREAKERS

MODEL	RATING	ICU/ICS	PRICE
BE.4MC125H063F	6,10,16,20 & 32 AMPS	25KA / 18KA	11,500/=
BE.4MC250K200F	150 & 200 AMPS	36KA / 25KA	21,000/=

PRICING POLICY

Dear Valued Customer:

This price list shall be governed by terms & conditions given below:

Date of implementation:

This Price list is in PAK RUPEES and is effective from 01-April-2026 and supersedes all our previous price lists.

Warranty:

All Products supplied are BRAND NEW which are warranted against defects in design, workmanship, and materials. The warranties shall be for a period of 12 months calculated from the date of delivery.

The following conditions will VOID the warranty:

- Misuse or mishandling of component.
- Modification or repair of the component.
- Faulty/Wrong installation of component.

Packing and forwarding costs:

Prices are without packing and Ex-our stores Karachi. Packing and forwarding expenses will be charged extra at actual.

Changes in Price List:

This Price list is subject to change without prior notice.

The major product range has been conveyed to our customer through this price list. However if you require any product which is not listed in this price list, please feel free to contact us. We hope this new price list will prove to be more convenient to our customers.

Thankyou



Electricals & Trading Co.

CONTACT US

FOR ANY PRODUCT INQUIRIES OR
SUPPORT, PLEASE CONTACT US.



Plot #18, Timber Pond East, West
Wharf Road, Kemari, Karachi.



+92-21-32851833



info@atelectricals.com



www.atelectricals.com



[/atelectricals](https://www.facebook.com/atelectricals)



[/at_electricals](https://www.instagram.com/at_electricals)



[/atelectricalsco](https://twitter.com/atelectricalsco)

VISIT OUR WEBSITE
www.atelectricals.com

